

**TOWN OF RANDALL  
APPLICATION FOR OPENING, EXCAVATION, OR UTILITY INSTALLATION  
OF TOWN ROADS OR TOWN RIGHT-OF-WAY**

APPLICANT:

NAME \_\_\_\_\_ PERMIT FEE: \_\_\_\_\_ DATE PAID: \_\_\_\_\_

ADDRESS \_\_\_\_\_ PHONE: \_\_\_\_\_

ANTICIPATED DATE OF INSTALLATION: FROM: \_\_\_\_\_ TO: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_

NAME: \_\_\_\_\_

ADDRESS: \_\_\_\_\_ PHONE: \_\_\_\_\_

TYPE OF SERVICE TO BE INSTALLED:

_____ GAS	_____ ELECTRIC	_____ TELEPHONE
_____ STORM SEWER	_____ SANITARY SEWER	_____ WATER
_____ CABLE	_____ OTHER	

ESTIMATED STARTING DATE: \_\_\_\_\_

ESTIMATED RESTORATION DATE: \_\_\_\_\_

SIZE OF ROAD CUT"

_____ 36" OR LESS	-	½ THE WIDTH OF THE ROAD	-
_____ 36" OR LESS	-	FULL WIDTH OF THE ROAD	-
_____ Directional Drilled			

CONDITIONS:

1. ROAD MUST BE SAW CUT BEFORE EXCAVATING.  
Debris removed from road opening shall immediately be removed and disposed of by Permittee.
  2. CONCRETE SLURRY BACKFILL MUST BE USED TO FILL EXCAVATION. It must be placed within 16 inches of the paved portion of the road and prepared in a clean cement mixer truck, thoroughly mixed, in quantities set forth below:
 

1350 lbs. Sand	775 lbs #1 stone (1")
1150 lbs. #2 stone (2")	25 gal (+0 to -0.5 gal) water per cubic yard
- NO additional water will be allowed. Weights are damp weights. Prior to placing slurry, mixer must be run at mixing speed for one full minute to ensure even mixture.
3. AFTER INSPECTION OF SLURRY AND SET UP BY DPW REPRESENTATIVE, TRAFFIC BOND, ¾" TB, SHALL BE PLACED IN FINAL 16 INCHES AND COMPACTED. After completion, Permittee shall notify DPW for final inspection of site to comply with ordinance.
  4. PERMITTEE SHALL HAVE RESPONSIBILITY FOR MAINTENANCE OF ROAD OPENING. All openings shall be enclosed with sufficient barricades, flashers, as well as any other necessary safety precautions and shall be maintained during hours of darkness.
  5. PERMITTEE SHALL HAVE RESPONSIBILITY FOR FINAL RESURFACING OF ROAD OPENING WITHIN 30 DAYS, UNLESS EXTENSION IS GRANTED BY DPW. For patching of asphaltic pavements, the pavement shall consist of a minimum of 2-1/2" (lower layer) gradation no. 2 and 1-1/2" (upper level) gradation no. 3. Prior to placement of pavement, base course shall be compacted and uniformly graded.
  6. ANY VARIANCE OF REQUIREMENTS IN THIS PERMIT TO EMPLOY AN EQUAL OR MORE EFFECTIVE METHOD MUST FIRST BE APPROVED, IN WRITING, BY THE TOWN ENGINEER. If alternate method is used and it later appears alternate method is not equally or more effective in the Town Engineer's judgment, the contractor shall revert to original specifications.
  7. The Permittee shall be liable for damages to persons or property by reason of such opening of the road and otherwise bound by Section 66.045 of Wisconsin Statutes. Permittee agrees to hold Town harmless from any damages or loss and from costs of defense of any action against the Town due to negligence or carelessness of the Permittee for any reason relating to opening of said road, regardless of who caused same or who was careless or negligent.

\_\_\_\_\_  
FERMITTEE SIGNATURE

\_\_\_\_\_  
CLERK SIGNATURE

INSPECTION DATE: \_\_\_\_\_

APPROVED BY: \_\_\_\_\_

ORDINANCE NUMBER 8.08(3)

AN ORDINANCE AMENDING AND RESTATING SECTION 8.08(3) OF THE CODE  
OF ORDINANCES  
OF THE TOWN OF RANDALL, KENOSHA COUNTY, WISCONSIN

The Town Board of Randall, Kenosha County, Wisconsin does ordain as follows:

**SECTION 1:** Section 8.08(3) of the Code of Ordinances of the Town of Randall, Kenosha County, Wisconsin is amended to read as follows:

“(3) Fee and Deposit Required


An applicant shall pay a fee of Two Hundred Dollars (\$200.00) with the permit application and further before any permit shall issue from the Town for any excavation on a per cut basis in any road, sidewalk, alley or public ground shall be granted, the applicant shall also deposit with the Town Clerk a compliance bond in the amount of not less than One Thousand Eight Hundred Dollars (\$1,800.00) to insure proper replacement of the pavement or other surface after completion of the work. In the event the Town Public Works Committee estimates restoration costs greater than One Thousand Eight Hundred Dollars (\$1,800.00), the bond required shall be in an amount equal to 110% of the estimated restoration costs. In the event there is no damage to the pavement or other surface or less damage than the amount of the bond, after a twelve (12) month period, the bond shall be released in the amount exceeding the cost of damages.”

**SECTION 2: EFFECTIVE DATE.** This ordinance shall take effect upon passage and posting or publication as provided by law.

The foregoing was adopted at a regular meeting of the Town Board of the Town of Randall, Kenosha County, Wisconsin, this 26<sup>th</sup> day of May, 2011.

TOWN OF RANDALL

By:

  
Robert Stoll, Town Chairperson

By:

  
Phyllis Kaskin, Town Clerk